


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((amplifier and switching mode)&lt;in&gt;metadata)"

Your search matched 9 of 1154623 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.» [View Session History](#)» [New Search](#)» **Key**

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

## Modify Search

((amplifier 'and' switching mode)&lt;in&gt;metadata)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## Select Article Information

- ☐ 1. **Coupled magnetic amplifiers in forward converter topologies**  
Barry, N.; Daly, B.;  
Power Electronics, IEEE Transactions on  
Volume 14, Issue 1, Jan. 1999 Page(s):168 - 176  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(220 KB) IEEE JNL
- ☐ 2. **Design and performance of tunnel collector HBTs for microwave power amplifier**  
Welty, R.J.; Mochizuki, K.; Lutz, C.R.; Welser, R.E.; Asbeck, P.M.;  
Electron Devices, IEEE Transactions on  
Volume 50, Issue 4, April 2003 Page(s):894 - 900  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(414 KB) IEEE JNL
- ☐ 3. **Class-D amplification combined with switched-mode power conditioning-the rou battery life**  
Grant, D.A.; Darroman, Y.; Burrow, S.;  
Consumer Electronics, IEEE Transactions on  
Volume 48, Issue 3, Aug. 2002 Page(s):677 - 683  
[AbstractPlus](#) | Full Text: [PDF](#)(946 KB) IEEE JNL
- ☐ 4. **Time-domain optical sampling of switched-mode microwave amplifiers and multi**  
Weiss, M.D.; Crites, M.H.; Bryerton, E.W.; Whitaker, J.F.; Popovic, Z.;  
Microwave Theory and Techniques, IEEE Transactions on  
Volume 47, Issue 12, Dec. 1999 Page(s):2599 - 2604  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(220 KB) IEEE JNL
- ☐ 5. **High dynamic class-D power amplifier**  
Himmelstoss, F.A.; Edelmöser, K.H.;  
Consumer Electronics, IEEE Transactions on  
Volume 44, Issue 4, Nov. 1998 Page(s):1329 - 1333  
[AbstractPlus](#) | Full Text: [PDF](#)(368 KB) IEEE JNL
- ☐ 6. **Effect of switch duty ratio on the performance of class E amplifiers and frequenc**  
Albulet, M.; Zulinski, R.E.;  
Circuits and Systems I: Fundamental Theory and Applications, IEEE Transactions on [:  
and Systems I: Regular Papers, IEEE Transactions on]  
Volume 45, Issue 4, April 1998 Page(s):325 - 335  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(468 KB) IEEE JNL

- ☐ **7. Linear high-efficiency microwave power amplifiers using bandpass delta-sigma**  
Jayaraman, A.; Chen, P.F.; Hanington, G.; Larson, L.; Asbeck, P.;  
Microwave and Guided Wave Letters, IEEE [see also IEEE Microwave and Wireless C  
Letters]  
Volume 8, Issue 3, March 1998 Page(s):121 - 123  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(72 KB) IEEE JNL
  
- ☐ **8. Basic considerations and topologies of switched-mode assisted linear power am**  
Ertl, H.; Kolar, J.W.; Zach, F.C.;  
Industrial Electronics, IEEE Transactions on  
Volume 44, Issue 1, Feb. 1997 Page(s):116 - 123  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(168 KB) IEEE JNL
  
- ☐ **9. Feedforward pulse width modulators for switching power converters**  
Arbetter, B.; Maksimovic, D.;  
Power Electronics, IEEE Transactions on  
Volume 12, Issue 2, March 1997 Page(s):361 - 368  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(264 KB) IEEE JNL

[View Selected Items](#)[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2005 IEEE –

#	Cl.	Document ID	Issue Date	Pages	Title	Current OR	Current Ref.	Retrieval Detail	Inventor	S	C	P	A	B	I
1	F	US 2007/029397 A1	2007/06/10	44	X-ray source assembly having enhanced output stability, and X-ray stream analysis apparatuses therefor	378/143			Kelley, Jan et al.	25	1	1	1	1	1
2	F	US 20050041773 A1	2005/02/24	42	Detection apparatus for x-ray analysis, including semiconductor detectors having extended active areas	379/47			Gibson, David M. et al.	15	1	1	1	1	1
3	F	US 20050033205 A1	2005/02/10	67	Surgical method and apparatus for monitoring a diagnostic or therapeutic element within the body	605/41			Swanson, David K. et al.	25	1	1	1	1	1
4	F	US 20050031073 A1	2005/02/10	42	X-ray tube and method and apparatus for analyzing fluid streams using x-rays	379/47			Kelley, Jan et al.	15	1	1	1	1	1
5	F	US 20050017802 A1	2005/01/27	19	Digital breast cancellation system	320/151	335/149		Robinson, Jan	25	1	1	1	1	1
6	F	US 2004/0260366 A1	2004/11/20	19	Multichannel amplifier system	465/01	458/127.1		Robinson, Jan et al.	25	1	1	1	1	1
7	F	US 20040063246 A1	2004/03/20	20	MULTI-MODE MULTISAMPLER ARCHITECTURE	320/1248			Bootsman, Jan et al.	25	1	1	1	1	1
8	F	US 2004/0093045 A1	2004/01/20	17	Peer and breva interface system	380/001			Holmes, Frank et al.	25	1	1	1	1	1
9	F	US 2004/0040262 A1	2004/02/03	16	Multiple antenna selection apparatus and method with multiple sensor feedback	602/41			Georg, Edward J. et al.	25	1	1	1	1	1
10	F	US 2003/0254622 A1	2003/11/16	17	Surgical instruments and techniques for treating gastroesophageal reflux disease	607/09	607/112		Strickland, John H.	25	1	1	1	1	1
11	F	US 2004/0218735 A1	2004/01/04	28	Method and device for pacing and electrically inducing a high-voltage, fast-generating cardiac burst	379/141			Kelley, Jan et al.	25	1	1	1	1	1